

# New York State Testing Program

2022 Mathematics Test

Grade 4

Scoring Leader Materials

Training Set



#### 2-Point Holistic Rubric

2 Points	<ul> <li>A 2-point response includes the correct solution to the question and demonstrates a thorough understanding of the mathematical concepts and/or procedures in the task.</li> <li>This response</li> <li>indicates that the student has completed the task correctly, using mathematically sound procedures</li> <li>contains sufficient work to demonstrate a thorough understanding of the mathematical concepts and/or procedures</li> <li>may contain inconsequential errors that do not detract from the correct solution and the demonstration of a thorough understanding</li> </ul>
1 Point	A 1-point response demonstrates only a partial understanding of the mathematical concepts and/or procedures in the task.  This response  correctly addresses only some elements of the task  may contain an incorrect solution but applies a mathematically appropriate process  may contain the correct solution but required work is incomplete
0 Points*	A 0-point response is incorrect, irrelevant, incoherent, or contains a correct solution obtained using an obviously incorrect procedure. Although some elements may contain correct mathematical procedures, holistically they are not sufficient to demonstrate even a limited understanding of the mathematical concepts embodied in the task.

<sup>\*</sup> Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted).

#### **3-Point Holistic Rubric**

	A 3-point response includes the correct solution(s) to the question and demonstrates a thorough understanding of the mathematical concepts and/or procedures in the task.  This response
3 Points	<ul> <li>indicates that the student has completed the task correctly, using mathematically sound procedures</li> </ul>
	<ul> <li>contains sufficient work to demonstrate a thorough understanding of the mathematical concepts and/or procedures</li> </ul>
	<ul> <li>may contain inconsequential errors that do not detract from the correct solution(s) and the demonstration of a thorough understanding</li> </ul>
2 Points	A 2-point response demonstrates a partial understanding of the mathematical concepts and/or procedures in the task.
	This response
	<ul> <li>appropriately addresses most but not all aspects of the task using mathematically sound procedures</li> </ul>
	<ul> <li>may contain an incorrect solution but provides sound procedures, reasoning, and/ or explanations</li> </ul>
	<ul> <li>may reflect some minor misunderstanding of the underlying mathematical concepts and/or procedures</li> </ul>
1 Point	A 1-point response demonstrates only a limited understanding of the mathematical concepts and/or procedures in the task.
	This response
	<ul> <li>may address some elements of the task correctly but reaches an inadequate solution and/or provides reasoning that is faulty or incomplete</li> </ul>
	• exhibits multiple flaws related to misunderstanding of important aspects of the task, misuse of mathematical procedures, or faulty mathematical reasoning
	<ul> <li>reflects a lack of essential understanding of the underlying mathematical concepts</li> <li>may contain the correct solution(s) but required work is limited</li> </ul>
0 Points*	A 0-point response is incorrect, irrelevant, incoherent, or contains a correct solution obtained using an obviously incorrect procedure. Although some elements may contain correct mathematical procedures, holistically they are not sufficient to demonstrate even a limited understanding of the mathematical concepts embodied in the task.

<sup>\*</sup> Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted).

#### 2022 2- and 3-Point Mathematics Scoring Policies

Below are the policies to be followed while scoring the mathematics tests for all grades:

- 1. If a student shows the work in other than a designated "Show your work" or "Explain" area, that work should still be scored.
- 2. If the question requires students to show their work, and the student shows appropriate work and clearly identifies a correct answer but fails to write that answer in the answer space, the student should still receive full credit.
- 3. If students are directed to show work or provide an explanation, a correct answer with **no** work shown or **no** explanation provided, receives **no** credit.
- 4. If students are **not** directed to show work, any work shown will **not** be scored. This applies to items that do **not** ask for any work and items that ask for work for one part and do **not** ask for work in another part.
- 5. If the student provides one legible response (and one response only), the rater should score the response, even if it has been crossed out.
- 6. If the student has written more than one response but has crossed some out, the rater should score only the response that has **not** been crossed out.
- 7. If the student provides more than one response, but does not indicate which response is to be considered the correct response and none have been crossed out, the student shall not receive full credit.
- 8. If the student makes a conceptual error (that is an error in understanding rather than an arithmetic or computational error), that student shall not receive more than 50% credit.
- 9. Trial-and-error responses are **not** subject to Scoring Policy #6 above, since crossing out is part of the trial-and-error process.
- 10. If a response shows repeated occurrences of the same conceptual error within a question, the conceptual error should **not** be considered more than once in gauging the demonstrated level of understanding.
- 11. In questions requiring number sentences, the number sentences must be written horizontally.
- 12. When measuring angles with a protractor, there is a +/- 5 degrees deviation allowed of the true measure.
- 13. Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted). This is not to be confused with a score of zero wherein the student does respond to part or all of the question but that work results in a score of zero.

The relationship between tickets earned and points earned in a game is described below.

- 1 ticket earned for every 9 points earned
- 2 tickets earned for every 18 points earned
- 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

Show your work.

Answer \_\_\_\_\_\_tickets

# **EXEMPLARY RESPONSE**

39

The relationship between tickets earned and points earned in a game is described below.

- 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

#### Show your work.

1 ticket = 9 points

2 tickets = 18 points

3 tickets = 27 points

4 tickets = 36 points

5 tickets = 45 points

6 tickets = 54 points

or

9, 18, 27, 36, 45, 54

or

 $54 \div 9 = 6$ 

or

9+9+9+9+9+9=54

or other valid process

Answer 6 tickets

The relationship between tickets earned and points earned in a game is described below.

- · 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

Show your work.

$$1\times 9 = 9$$
  
 $2\times 9 = 18$   
 $3\times 9 = 27$   
 $4\times 9 = 36$   
 $5\times 9 = 59$   
 $6\times 9 = 59$ 

Answer 6 tickets

## **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The quantity of tickets is calculated correctly using a multiplication table. This response is correct and complete.

The relationship between tickets earned and points earned in a game is described below.

- · 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

Show your work.

9 54

Answer \_\_\_\_\_\_ tickets

# **Score Point 2 (out of 2 points)**


This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The quantity of tickets is calculated correctly by using division. This response is complete and correct.

The relationship between tickets earned and points earned in a game is described below.

- 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

#### Show your work.



Answer 6 tickets

#### **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The quantity of tickets is calculated correctly by computing the multiples of 9. This response is correct and complete.

The relationship between tickets earned and points earned in a game is described below.

- · 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

Show your work.

4 ticket is 36 Points
5 ticket is 45 Points
6 ticket is 54 Points

Answer 3 time tickets

#### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. This response contains an incorrect solution; however, the work shows an understanding of the pattern in the prompt. This response contains an incorrect solution but provides an appropriate process.

The relationship between tickets earned and points earned in a game is described below.

- · 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned? Show your work.

9x6=54

Answer 54 tickets

## **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The work is done correctly, but the product is incorrectly chosen as the solution. This response contains an incorrect solution but shows a mathematically appropriate process.

39

The relationship between tickets earned and points earned in a game is described below.

- 1 ticket earned for every 9 points earned
- 2 tickets earned for every 18 points earned
- 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

#### Show your work.

27 tickets, 36 tickets, 45 tickets, 54 tickets,

Answer 3 tickets tickets


#### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The response shows the correct list of multiples of 9 (27 tickets, 36 tickets, etc.) but obtains the solution of 3. This response contains an incorrect solution but applies an appropriate process.

The relationship between tickets earned and points earned in a game is described below.

- · 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?



#### **Score Point 0 (out of 2 points)**

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The quantities of the tickets are inappropriately multiplied and added. An incorrect solution is obtained using an incorrect procedure.

The relationship between tickets earned and points earned in a game is described below.

- 1 ticket earned for every 9 points earned
- · 2 tickets earned for every 18 points earned
- · 3 tickets earned for every 27 points earned

If the pattern continues, how many tickets are earned when 54 points are earned?

#### Show your work.



Answer 4 is 54


tickets

#### **Score Point 0 (out of 2 points)**

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect solution is obtained by using an incorrect procedure.



The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?


Show your work.

Answer \_\_\_\_\_\_ degrees

# **EXEMPLARY RESPONSE**

40

The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?

Show your work.

$$\angle$$
ABD = 180°

$$\angle ABD - \angle ABC = \angle CBD$$

$$180^{\circ} - 143^{\circ} = 37^{\circ}$$


or

$$143 + 37 = 180$$

or other valid process

Answer 37 degrees

The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?

#### Show your work.

$$\frac{-\frac{180}{143}}{37}$$

Answer

37


degrees

## **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The measure of angle ABC is correctly subtracted from 180 degrees to obtain the measure of angle CBD. This response is correct and complete.

40

The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?

#### Show your work.




Answer

37

degrees

#### **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The measure of angle CBD is obtained using a sound procedure. This response is correct and complete.




## **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The measure of the angle ABC is subtracted from 180 degrees to obtain the measure of the new angle CBD and checked by adding the measures of the angle ABC and angle CBD to obtain a total of 180 degrees. This response is correct and complete.


40

The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?

#### Show your work.




Answer 143 degrees

## **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The measure of angle ABC is subtracted from 180 degrees to obtain the measure of angle CBD; however, angle ABC is provided as the solution, not angle CBD. This response contains an incorrect solution but applies a mathematically correct process.

40

The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?

#### Show your work.

180-143=38


Answer

38

degrees

## **Score Point 1 (out of 2 points)**


This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. There is a calculation error when subtracting angle ABC from angle ABD (180 degrees). This response contains an incorrect solution but applies a mathematically appropriate process.



# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A transcription error of using 140 degrees instead of 143 degrees results in an incorrect solution. This response contains an incorrect solution but applies a mathematically appropriate process.

The diagram below shows angle ABC.



Ray BD is added to the diagram to create straight angle ABD and new angle CBD. What is the measure, in degrees, of angle CBD?

#### Show your work.

the diagram is a acute angle because I mesrd the picher

the answer of the diagram is a acute angle and it is 38 or 39


Answer

degrees

#### **Score Point 0 (out of 2 points)**

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although angle CBD is approximately measured with the protractor, holistically, the response shows no overall understanding of how to mathematically find supplementary angles. This response contains an incorrect solution obtained by an inappropriate procedure.






## **Score Point 0 (out of 2 points)**

Holistically, this response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Ray BD is added to angle ABC to create angle ABD but is does not appear to create a straight angle. Angle CBD is redrawn, with a measure of 35 degrees. This response contains an incorrect solution, with insufficient explanation of how that solution was obtained.

#### **EXEMPLARY RESPONSE**

41

Dotted lines were added to the two figures shown below to represent lines of symmetry.



Which figure shows only correct lines of symmetry?


Explain how you know your answer is correct.

Figure B shows all correct lines of symmetry. I know this is true because if you fold the figure on any of the dotted lines, the two parts coincide exactly.

or

Figure B, because Figure A does not show only correct lines of symmetry. I know this is true because if you fold the figure on one of the diagonal lines, the two parts are equal, but do not coincide exactly.


or other valid explanation



## **Score Point 2 (out of 2 points)**


This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The correct figure is selected, and a valid explanation is provided. This response is correct and complete.

Dotted lines were added to the two figures shown below to represent lines of symmetry.



Which figure shows only correct lines of symmetry?


#### Explain how you know your answer is correct.



# **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The correct figure is selected, and a valid explanation and illustration is provided as to why a diagonal line is not a line of symmetry in Figure A. This response is correct and complete.


41



## **Score Point 2 (out of 2 points)**


This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The correct figure is selected, and a valid explanation is provided as to why a diagonal line is not a line of symmetry in Figure A.

Dotted lines were added to the two figures shown below to represent lines of symmetry.



Which figure shows only correct lines of symmetry?

#### Explain how you know your answer is correct.



#### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. An acceptable explanation of symmetry is provided, but Figure B is not explicitly chosen as an example of correct lines of symmetry. This response correctly addresses only some elements of the task.

Dotted lines were added to the two figures shown below to represent lines of symmetry.

Figure A

Figure B


Which figure shows only correct lines of symmetry?

Explain how you know your answer is correct.

Figure B only Shows correct lines of Symmetry because in figure A the Corner would had work.

#### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The correct figure is chosen, but the explanation is not explicit as to which lines in Figure A will not create lines of symmetry. This response correctly addresses only some elements of the task.




## **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. Figure B is correctly chosen; however, the explanation does not sufficiently describe why only two of the dotted lines in Figure A are lines of symmetry. This response correctly addresses only some elements of the task.

41

Dotted lines were added to the two figures shown below to represent lines of symmetry.



Which figure shows only correct lines of symmetry?


Explain how you know your answer is correct.

because you can not fold a rectangle diaganal

# Score Point 0 (out of 2 points)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The explanation is not sufficient because both figures are rectangles, and neither figure is explicitly selected.

Dotted lines were added to the two figures shown below to represent lines of symmetry.



Which figure shows only correct lines of symmetry?

Explain how you know your answer is correct.

A ownly can have 2 lines of symmetry B ownly can have 4 lines of symmetry

# Score Point 0 (out of 2 points)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Neither figure is selected, and the explanation for lines of symmetry is insufficient.

42	
	The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression $80,000 + 4,000 + 200 + 10 + 6$ . Write a number sentence using >, <, or = to compare the populations of City A and City B.
	Explain how you know your answer is correct.

# **EXEMPLARY RESPONSE**

42

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

#### Explain how you know your answer is correct.

The population of City B is greater than the population of City A because 84,216 > 84,206. I know this is true because all the digits in the two numbers are the same except for the digit in the tens place and 1 is greater than 0.

or other valid explanation

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

#### Explain how you know your answer is correct.

I know my answer is correct because first I looked at the ten thousands place and the numbers were the same then I looked at the thousands place and they were the same then I looked at the hundreds and they were the same then I looked at the tens and there was a one in 84,216 and a zero in 84,206 and I know one is greater than zero so I said that 84,216 was greater than 84,206.

### **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. An accurate number sentence is provided, and the place values are correctly compared. The explanation is correct and complete.

The population of City A is eighty-four thousand two hundred six The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6) Write a number sentence using >, <, or = to compare the populations of City A and City B. Explain how you know your answer is correct. 84,206@ 84,216 because City B (84,216) a one in the tens place, while city A (84, 206) has a zero in the tens place. I compared the tens. A= 84, 206

### **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. An accurate number sentence is provided, and the place values are correctly compared. The explanation is correct and complete.

The population of City A is eighty-four thousand two hundred six. The population

42

of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

Explain how you know your answer is correct.

City B is greated and City A is lessed if know this because the ten thousands is the same. So is the the thousands place but not the tens place. City A has a O in the tens place but City B has a 1 in the tens place.

City A 8 1206

# **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. An accurate number sentence is provided, and the place values are correctly compared in the provided explanation. The explanation is correct and complete.

42

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

#### Explain how you know your answer is correct.

84216 > 84206

I know my answer is correct because one has 16 the other only has 6.

# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. An accurate number sentence is provided. However, the explanation does not sufficiently compare the value of digits in the tens place in the two numbers. The explanation correctly addresses only some elements of the task.

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B. Explain how you know your answer is correct. 80,000 +4,000 + 200+10+6 = 84. 84.216 80,000 4,000 200 10

### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. No number sentence using < or > is provided, but the place values are accurately compared in the provided explanation. The explanation correctly addresses only some elements of the task.

42

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

#### Explain how you know your answer is correct.

84,206 < 84,216

84,206 is less than 84,216. and 84,216 is greater than 84,206.

# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. An accurate number sentence is provided. However, the place values of the digits in the two numbers are not compared. The explanation correctly addresses only some elements of the task.

42

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

#### Explain how you know your answer is correct.

84,206 ( < ) 84,210

# Score Point 0 (out of 2 points)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although a correct comparison is provided, only one correct number is written and the explanation is insufficient.

The population of City A is eighty-four thousand two hundred six. The population of City B is represented by the expression 80,000 + 4,000 + 200 + 10 + 6. Write a number sentence using >, <, or = to compare the populations of City A and City B.

#### Explain how you know your answer is correct.

8426 is < 84216

### Score Point 0 (out of 2 points)


Holistically, this response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The explanation is unable to correctly convert the population of City A from expanded form to standard form; although the number sentence provided is true, it is not a correct solution.

	Model A	Model B	
represer	nted by Model B equivalent to th	to be shaded to make the fraction the fraction represented by Model A? esented by Model B in your answer.	
Explain	how you know your answer is co	orrect.	

# **EXEMPLARY RESPONSE**

43

The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole.




How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer.

#### Explain how you know your answer is correct.

The shaded part of Model A is equal to  $\frac{1}{2}$ , and the shaded part of Model B is equal to  $\frac{4}{12}$ .

Model B needs 2 more parts shaded (or  $\frac{2}{12}$  shaded), so that the shaded part equals  $\frac{6}{12}$ . I know this is correct because  $\frac{6}{12}$  is equal to  $\frac{1}{2}$ .


or other valid explanation



# **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The fraction  $\frac{2}{12}$  is correctly added to Model B and is correctly compared to  $\frac{1}{2}$  to show that the two shaded areas are the same. This response is complete and correct.

The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole.



Model A

Model B


How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer.

#### Explain how you know your answer is correct.

$$\frac{4}{12} \neq \frac{1}{2}$$


$$\frac{6}{12} - \frac{4}{12} = \frac{2}{12}$$

2 more boxes need to be shaded in to make half because 6 is half of 12



### **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The difference between the shaded areas of Model A and Model B is correctly calculated, and the number of additional boxes to be shaded is correctly determined. This response is complete and correct.



# **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The fraction  $\frac{1}{2}$  is shown to be equal to  $\frac{6}{12}$ , and the shaded part of Model B is added to  $\frac{2}{12}$  to be equal to Model A. This response is complete and correct.

43

The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole.





Model A

Model B

How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer.

Explain how you know your answer is correct.

modle B needs to shade in two more lines to copy modle A.

# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The difference between the two models is correctly addressed; however, the explanation is incomplete as it does not provide a new fraction. This response correctly addresses only some elements of the task.

43 The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole. Model A Model B How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer. Explain how you know your answer is correct. fraction

# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A comparison is made between  $\frac{4}{12}$  and  $\frac{1}{2}$ , and they accurately state that  $\frac{2}{12}$  is needed to make Model B equivalent to Model A; however, no explanation is provided for how  $\frac{2}{12}$  is obtained and no new fraction is provided. This response contains the correct solution, but the required work is incomplete.

43

The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole.



Model A

Model B

How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer.

Explain how you know your answer is correct.

$$\frac{1}{2} > \frac{4}{12}$$

 $\frac{1}{2} > \frac{4}{12}$  They need  $\frac{2}{12}$  more shaded.

# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. Model A is shown to not be equal to Model B. However, the explanation is incomplete, as no work for obtaining <sup>2</sup>/<sub>12</sub> is shown, and no new fraction is provided. This response correctly addresses only some elements of the task.

The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole.



Model A

Model B

How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer.

Explain how you know your answer is correct.

Model B would need  $\frac{1}{12}$  more to be equal to Model A

because B is  $\frac{4}{12}$  and if you add  $\frac{1}{12}$  it would be equal.


$$A = \frac{1}{2}$$

$$B = \frac{4}{12}$$

# **Score Point 0 (out of 2 points)**

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The fraction  $\frac{1}{12}$  is added to  $\frac{4}{12}$ , and the sum is incorrectly claimed to be equal to  $\frac{1}{2}$ . The explanation is not sufficient to show an understanding of fractions.

The models shown below are the same size and divided into equal parts. The shaded parts in each model represent a fraction of a whole.




Model A

Model B

How many more parts in Model B need to be shaded to make the fraction represented by Model B equivalent to the fraction represented by Model A? Be sure to include the new fraction represented by Model B in your answer.

#### Explain how you know your answer is correct.



# Score Point 0 (out of 2 points)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. A fraction equivalent to  $\frac{6}{12}$  is written, but this does not sufficiently address the elements of the task.

44	A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?
	Show your work.
	<i>Answer</i> books

# **EXEMPLARY RESPONSE**

44

A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

Show your work.

36 bookshelves

× 48 books per shelf

288

1,440

1,728 books

or other valid process

Answer 1,728 books

A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

#### Show your work.

$$36 \times 48 = 1,728$$
  
 $6 \times 8$   
 $6 \times 40$   
 $8 \times 30$   
 $30 \times 40$ 

Answer

1,728 books

books

# **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The total number of books is correctly determined using a sound procedure. This response is complete and correct.



A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold? Show your work.

# **Score Point 2 (out of 2 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The total number of books is correctly determined using a sound procedure. This response is complete and correct.



A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

Show your work.

Answer 1728 books

# Score Point 2 (out of 2 points)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The two numbers are correctly multiplied to determine the solution. While the multiplication operator is absent from the work, this is an inconsequential error, as multiplication is correctly applied. This response contains an inconsequential error that does not detract from the correct solution.

A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

#### Show your work.



The book shelvs would hold 1440 books Answer

books

### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. Although multiplication of the two numbers is part of the correct process to determine the total number of books, a calculation error results in an incorrect solution. This response contains an incorrect solution but applies a mathematically appropriate process.



A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

Show your work.

Answer 1 824 book

# **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. Although the multiplication of the two numbers is part of the correct process to determine the total number of books, an incorrect solution is obtained due to a transcription error, where 38 is used in place of 36. This response contains an incorrect solution but applies a mathematically appropriate process.

A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

Show your work.

Answer 728 book

### **Score Point 1 (out of 2 points)**

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. Although multiplication of the two numbers is part of the correct process to determine the total number of books, a calculation error results in an incorrect solution. This response contains an incorrect solution but applies a mathematically appropriate process.

Answer 84 books

# **Score Point 0 (out of 2 points)**

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect procedure is used to obtain an incorrect solution.

A section of a library has 36 bookshelves. Each bookshelf holds exactly 48 books of similar size. What is the total number of books that all of the bookshelves will hold?

Show your work.

Answer

48 36=728

books

# Score Point 0 (out of 2 points)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect procedure is used to obtain an incorrect solution.

A student is using wooden blocks to build two towers of different heights. All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height, in inches, between the short tower and the tall tower?

Show your work.

Answer \_\_\_\_\_\_ inches

# **EXEMPLARY RESPONSE**

45

A student is using wooden blocks to build two towers of different heights. All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower

is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height,

in inches, between the short tower and the tall tower?

Show your work.

$$9 \times \frac{3}{4} = \frac{27}{4}$$
 inches

$$27/_4 = 6 \frac{3}{4}$$
 inches

$$5 \times \frac{3}{4} = \frac{15}{4}$$
 inches  $\frac{15}{4} = 3\frac{3}{4}$  inches

$$\frac{15}{4} = 3 \frac{3}{4}$$
 inches

$$27/4 - 15/4 = 12/4$$
 inches  $6 \frac{3}{4} - 3\frac{3}{4} = 3$  inches

$$6^{3}/_{4} - 3^{3}/_{4} = 3$$
 inches

$$\frac{12}{4} = 3$$
 inches

or

$$9 - 5 = 4$$

$$4 \times \frac{3}{4} = 3$$
 inches

or other valid process

Answer 3 or 12/4 inches

A student is using wooden blocks to build two towers of different heights.

All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower

is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height,

in inches, between the short tower and the tall tower?

#### Show your work.

$$5 \times 3/4 = 15/4$$

$$9 \times 3/4 = 27/4$$

$$27/4 - 15/4 = 12/4$$

Answer

The difference of the to towers is 12/4 inches.

inches

### **Score Point 3 (out of 3 points)**

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The heights of towers are correctly calculated and subtracted to determine the solution. This response is complete and correct.

A student is using wooden blocks to build two towers of different heights.

All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower

is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height,

in inches, between the short tower and the tall tower?

#### Show your work.

$$9-5=4$$

$$4 \times \frac{3}{4} = \frac{12}{4}$$

Answer

inches

### Score Point 3 (out of 3 points)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The difference in number of blocks is obtained, then the height of the difference is correctly calculated. This response is complete and correct.

A student is using wooden blocks to build two towers of different heights.

All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height, in inches, between the short tower and the tall tower?

#### Show your work.

Short tower: 
$$\frac{3}{4} + \frac{3}{4} + \frac{3}{4} + \frac{3}{4} + \frac{3}{4} = 3\frac{3}{4}$$

Tall tower:  $\frac{3}{4} + \frac{3}{4} = 6\frac{3}{4}$ 
 $6\frac{3}{4} - 3\frac{3}{4} = 3$ 

Answer 3 inches

# Score Point 3 (out of 3 points)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The heights of the short tower and tall tower are correctly calculated by repeated addition, and then compared correctly by subtraction to determine the correct solution. This response is complete and correct.

A student is using wooden blocks to build two towers of different heights.

All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower

is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height,

in inches, between the short tower and the tall tower?

#### Show your work.

```
3/4 inches \times 5/4 inches = 15/4 inches

3/4 inches \times 9/4 inches = 27/4 inches

27/4 inches = 15/4 inches = 12/4 inches
```

Answer

The difference is 12/4 inches.

inches

# **Score Point 2 (out of 3 points)**

This response demonstrates a partial understanding of the mathematical concepts and procedures in the task. The correct solution is determined, using an appropriate procedure. However, <sup>5</sup>/<sub>4</sub> is used in place of 5, and <sup>9</sup>/<sub>4</sub> in place of 9. The use of inches in place of blocks does not detract from understanding of the task. This response addresses most, but not all, aspects of the task using mathematically sound procedures.

A student is using wooden blocks to build two towers of different heights.

All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower

is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height,

in inches, between the short tower and the tall tower?

#### Show your work.

$$3/4 \times 5 = 15/4$$
  
 $3/4 \times 9 = 27/4$   
 $27/4 - 15/4 = 12$ 

Answer

The difference in height is 12

inches


### **Score Point 2 (out of 3 points)**


This response demonstrates a partial understanding of the mathematical concepts and procedures in the task. The heights of the two towers are obtained correctly; however, the denominator is ignored when calculating the difference in height. This response reflects some minor misunderstanding of the underlying mathematical procedures.


45

A student is using wooden blocks to build two towers of different heights. All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height, in inches, between the short tower and the tall tower?

Show your work.







Answer \_\_\_

inches

# **Score Point 2 (out of 3 points)**

This response demonstrates a partial understanding of the mathematical concepts and procedures in the task. The heights of the towers are found using correct procedure; however, the denominators are left out of the work. This response reflects some minor misunderstanding of the underlying mathematical procedures.

A student is using wooden blocks to build two towers of different heights. All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height, in inches, between the short tower and the tall tower?

#### Show your work.

$$5 \times 3 = 15$$

$$\frac{3}{4} = 3$$

$$15 = \frac{15}{4} \quad or = 3\frac{1}{4} = 3 \text{ inches}$$

$$9 \times 3 = 27$$

$$27 = \frac{27}{4} \quad or = 6\frac{3}{4} = 6 \text{ inches}$$

$$5 \times 3 = 15$$

$$= \frac{15}{4} \text{ or}$$

$$= 3\frac{1}{4}$$

$$= 3 \text{ inches}$$

$$9 \times 3 = 27$$

$$= \frac{27}{4} \text{ or}$$

$$= 6\frac{3}{4}$$


$$= 6 \text{ inches}$$
So, there are the smallest tower = 3 inches and biggest tower = 6 inches

Answer

inches

### **Score Point 1 (out of 3 points)**

This response demonstrates only a limited understanding of the mathematical concepts and procedures in the task. The heights of the towers are calculated correctly; however, they are incorrectly converted to a mixed number. Also, there is no attempt made to obtain the difference. This response exhibits multiple flaws related to a misunderstanding of the important aspects of the task.



### **Score Point 1 (out of 3 points)**

This response demonstrates only a limited understanding of the mathematical concepts and procedures in the task. The heights of the towers are correctly calculated. However, a conceptual error is made when the heights of the towers are added together, rather than obtaining the difference. Per Scoring Policy #8, this response cannot receive more than 50% credit. This response addresses only some elements of the task correctly, but reaches an inadequate, incomplete solution.

A student is using wooden blocks to build two towers of different heights. All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height, in inches, between the short tower and the tall tower? Show your work.

### **Score Point 1 (out of 3 points)**

This response demonstrates only a limited understanding of the mathematical concepts and procedures in the task. The height of the tall tower is correctly calculated; however, the height of the small tower and the difference in the heights is not addressed. This response addresses only some elements of the task, but an inadequate solution is reached.

A student is using wooden blocks to build two towers of different heights.

All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower

is 5 blocks high and the tall tower is 9 blocks high. What is the difference in height,

in inches, between the short tower and the tall tower?

#### Show your work.

$$5 \times 3/4 = 53/4$$

$$9 \times 3/4 = 93/4$$

$$93/4 + 53/4 = 143/4$$

Answer

it eqeals 14 3/4


inches

### Score Point 0 (out of 3 points)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although the process to calculate the height of the towers is set up correctly, the solutions are incorrect. Further, the heights of the towers are added, rather than subtracted, and the sum is incorrect. Some elements are correctly ordered mathematical procedures, but holistically, these elements are not sufficient.

A student is using wooden blocks to build two towers of different heights. All of the blocks are the same size and have a height of  $\frac{3}{4}$  inch. The short tower is 5 blocks high and the tall tower is 9 blocks high. What is the <u>difference</u> in height, in inches, between the short tower and the tall tower?

Show your work.



Answer 4 inches

# **Score Point 0 (out of 3 points)**

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although the difference in the number of blocks is correctly calculated, the difference in inches is not addressed. Holistically, the work is insufficient to show any understanding.